

Air Tool Accessories

Accessoires pour Outils
Pneumatiques

Zubehör für Druckluftwerkzeuge

Accesorios para Herramientas
Neumáticas

Accessori per Utensili Pneumatici

53



Airline accessories
Accessoires réseau d'alimentation en air
Zubehör für Druckluftversorgung
Accesorios para la red de aire
Accessori di linea

54



Common accessories for fastening and
drilling tools
Accessoires communs pour outils de
vissage et de perçage
Zubehör für Schrauber und
Bohrmaschinen
Accesorios comunes para herramientas
de montaje y taladros
Accessori comuni per utensili
d'assemblaggio e trapani

56



Common accessories for angle wrenches
Accessoires communs pour clés d'angle
Zubehör nur für Winkelschrauber
Accesorios comunes para llaves angulares
Accessori comuni per chiavi ad angolo

57



Common accessories for drills
Accessoires communs pour perceuses
Zubehör nur für Bohrmaschinen
Accesorios comunes sólo para taladros
Accessori comuni per trapani





Filters – Regulators – Lubricators

(BSP thread - plastic bowl - Manual drain - Pressure gauge)

Filtres – Régulateurs – Lubrificateurs

(filetage BSP - cuve plastique - purge manuelle - manomètre inclus)

Filter-Regler-Öler


(BSP Gewinde - Kunststoffbehälter - manueller Ablauf - mit Druckmanometer)

Filtros – Reguladores – Lubricadores

(BSP conexión - carcasa de plástico - purga manual - con manómetro)

Filtri – Regolatori – Lubrificatori

(attacco filettato BSP - tazza in plastica - scarico manuale - con manometro)



Ref.	in	bar	l/sec	dl	A mm	B mm
1 COMB. FILTER REGULATOR – FILTRE REGULATEUR – FILTER REGLER KOMBI. – FILTRO/REGULADOR COMB. – COMB. FILTRO REGULATORE						
B18-C3-FGGO-29	3/8	0.4 - 10.3	55	0.51	254	60
B18-C4-FGGO-29	1/2	0.4 - 10.3	57	0.51	254	60
B28-C4-FGGO-29	1/2	0.4 - 10.3	78	0.85	291	73
2 COMBINED UNIT (FRL) – ENSEMBLE FRL – FILTER REGLER ÖLER KOMBI. – UNIDAD COMBINADA (FRL) – UNITÀ COMBINATA (FRL)						
C18-C3-FGGO-29	3/8	0.4 - 10.3	48	0.51	212	197
C18-C4-FGGO-29	1/2	0.4 - 10.3	48	0.51	212	197
C28-C4-FGGO-29	1/2	0.4 - 10.3	63	0.85	238	237


	Piping Adapter Set Thread 1/4" BSP GPA-96-620 Thread 3/8" BSP GPA-96-621 Thread 1/2" BSP GPA-96-622 Thread 3/4" BSP GPA-96-623		Automatic Drain Standard / Nitrile 1/8" GRP-96-200 Standard / Viton 1/8" GRP-96-300 Low flow / Nitrile 1/8" GRP-96-600 Low flow / Viton 1/8" GRP-96-700
	C-Bracket (for filter & lubricator) Series 18 GPA-96-604 Series 28 GPA-96-605		Diverter Block Series 18 (1/2") N18-C4-0000 Series 28 (3/4") N28-C6-0000
	L-Bracket (for regulator) Series 18 GPA-96-606 Series 28 GPA-96-607		Safety Lockout Valve Series 18 (1/4") V18-C2-0000 Series 18 (3/8") V18-C3-0000 Series 18 (1/2") V18-C4-0000 Series 28 (3/8") V28-C3-0000 Series 28 (1/2") V28-C4-0000 Series 28 (1") V28-C6-0000
	T-Bracket GPA-96-602		Slow Start Valve (24 VDC) Series 18 (1/4") S18-C2-EC00 Series 18 (3/8") S18-C3-EC00 Series 18 (1/2") S18-C4-EC00 Series 28 (3/8") S28-C3-EC00 Series 28 (1/2") S28-C4-EC00 Series 28 (3/4") S28-C6-EC00
	Joiner Set GPA-96-601		
	T-Bracket with Joiner Set GPA-96-603		
	Pressure Gauge 0-4 bar RRP-96-668 0-16 bar RRP-96-669		



Supercoil™ recoil hose assemblies
 Ensembles tuyaux spiralés Supercoil™
 Supercoil™ Spiralschläuche
 Mangueras de espiral Supercoil™
 Tubo a spirale Supercoil™

Ref.	mm	in	m	m	mm
IR36102	9.5	3/8	3	2.5	150
IR36202	9.5	3/8	6	5.0	340
IR36302	9.5	3/8	9	8.0	520
IR36103	9.5	1/4	3	2.5	150
IR36203	9.5	1/4	6	5.0	340
IR36203	9.5	1/4	9	8.0	520
IR37102	13	1/2	3	2.5	165
IR37202	13	1/2	6	5.0	380
IR37302	13	1/2	9	8.0	580

Accessory



<p>Horizontal hanger (for pistol models only) Suspension horizontale (pour modèles à poignée revolver) Horizontal-Aufhänger (nur für Modelle mit Pistolengriff) Suspensión horizontal (sólo para modelos tipo pistola) Disp. sospensione orizzontale (solo per modelli a pistola)</p>	
<p>Horizontal hanger (for angle models only) Suspension horizontale (pour modèles d'angle uniquement) Horizontal-Aufhänger (nur für Winkelschrauber) Suspensión horizontal (sólo para modelos angulares) Disp. sospensione orizzontale (solo per modelli ad angolo)</p>	
<p>Vertical hanger (for straight and angle models only) Suspension verticale (pour modèles droits et d'angle uniquement) Vertikal-Aufhänger (nur für gerade und Winkelausführung) Suspensión vertical (sólo para modelos rectos y angulares) Disp. sospensione verticale (solo per modelli diritti e ad angolo)</p>	
<p>Dead handle Poignée auxiliaire Hilfsgriff Mango de sujeción Impugnatura ausiliaria</p>	
<p>Piped away exhaust kit (for straight models only) Kit d'échappement canalisé (pour modèles droits uniquement) Abluftschlauch-Satz (nur für gerade Ausführung) Juego escape remoto (sólo para modelos rectos) Kit scarico convogliato (solo per modelli diritti)</p>	
<p>Exhaust hose Gaine d'échappement Abluftschlauch Manguera de escape Tubo di scarico</p>	
<p>Comfort grip (straight and angle / lever) Poignée confort (modèles droits et d'angle à levier) Komfortgriff (für gerade und Winkelausführung mit Hebelstart) Empuñadura comfort (para modelos rectos y angulares con palanca) Impugnatura comfort (per modelli diritti e ad angolo a leva)</p>	
<p>Comfort grip (pistol screwdrivers) Poignée confort (pour visseuses à poignée revolver) Komfortgriff (für Drehschrauber mit Pistolengriff) Empuñadura comfort (para atornilladores tipo pistola) Impugnatura comfort (per cacciaviti / impugnatura a pistola)</p>	
<p>Replacement clutch adjusting key (shut-off and cushion clutch models) Clé de réglage du limiteur de couple (limiteur à coupure d'air et à billes) Kupplungs-Einstellschlüssel (für Abschalt- und Rutschkupplung) Llave de ajuste del embrague (sólo para modelos con parada auto. y embrague ajustable) Chiavetta regolazione frizione (per frizione a cuscinio e con blocco)</p>	
<p>Clutch springs / min torque Ressorts de limiteur de couple / couple mini Kupplungsfeder / kleinster Drehmomentbereich Muelles de embrague / Par mín. Molle frizione /coppia min.</p>	

**For screwdrivers only – Pour visseuses uniquement
 Nur für Drehschrauber – Sólo para atornilladores – Solo per cacciaviti**

Q2 Series


<p>Color differentiating components: pistol buttplate (for pistol models) Marquage de couleur pour différenciation des appareils: embase de poignée pour modèles revolver Farbige Komponenten zur Unterscheidung der Werkzeuge: Unterteil des Pistolengriffs Componentes con color diferente : tapa identificativa (para modelos de pistola) Componenti con colori differenziati: base dell'impugnatura nei modelli a pistola</p>	<p>TRP-B-R (orange) TRP-B-G (green) TRP-B-B (blue) TRP-B-Y (light grey)</p>
<p>Color differentiating components: flanged adjustment cover (for straight models) Marquage de couleur pour différenciation des appareils: Bride avant à profil relevé pour modèles droits Farbige Komponenten zur Unterscheidung der Werkzeuge: Abdeckflansch der Kupplungseinstellung (gerade Ausführung) Componentes con color diferente: brida identificativa (para modelos rectos) Componenti con colori differenziati: flangia anteriore per i modelli diritti</p>	<p>TRH-40-23-R (orange) TRH-40-23-G (green) TRH-40-23-B (blue) TRH-40-23-Y (light grey)</p>
<p>Color differentiating components: non-flanged adjustment cover (for straight models) Marquage de couleur pour différenciation des appareils: Bride avant à profil droit pour modèles droits Farbige Komponenten zur Unterscheidung der Werkzeuge: Abdeckung (ohne Flansch) der Kupplungseinstellung (gerade Ausführung) Componentes con color diferente: brida identificativa sin contorno ergonómico(para modelos rectos) Componenti con colori differenziati: per i modelli diritti senza flangia</p>	<p>TRH-40-24-R (orange) TRH-40-24-G (green) TRH-40-24-B (blue) TRH-40-24-Y (light grey)</p>

Common Accessories for Fastening and Drilling Tools
Accessoires Communs pour Outils de Vissage et de Perçage
Zubehör für Schrauber und Bohrmaschinen
Accesorios Comunes para Herramientas de Montaje y Taladros
Accessori Comuni per Utensili d'Assemblaggio e Trapani

Q2 Series	41 Series	5 Series	6 Series	7 Series	8 Series	9 Series	LD Series	BALD Series	Power Pulse	P33 Series
TRP-A365	48934	7RA-A366	7RA-A366	7RA-A366	—	—	124621	124621	EQ106P-365	118303
3RA-365 (angle drills only)	48934	6WS-366	6WS-366	6WS-366	8SL-366	9SL-366	—	129851 (except 1202)	—	—
7L-365	IR48426-1	5RL-365	7L-365	7L-365	7L-365	—	118303	118303 (except BALD42)	EQ106S-365 (except 900,1100 1900 and 3000)	128065
—	48931	728N-A48 + 5A-49 (x2)	R1A-A48 + 6A-49 (x2)	R1A-A48 + 7A-49 (x2)	9SL-48 + 8SL-A60	9SL-48 + 9SL-A60	—	—	—	131899
LG1-K284	—	5L-K184	7L-K284	7L-K284	—	—	—	—	—	—
3RL-284	46490 + 46477	—	—	—	—	—	—	—	—	—
—	—	CG-5RL (except angle wrenches)	CG-6WRT (reversible) CG-6WT (non-reversible)	CG-7RL CG-7RLD (angle wrenches)	—	—	—	—	—	—
TRP-40-1 (small)	—	CG-5RA	—	CG-7RA	—	—	—	—	—	—
TRH-478	(standard screwdriver)	5C1-416	—	5C1-416	—	—	124397 (LD12, LD22) 125116 (LD32)	124397 (BALD12, 22) 125116 (BALD32, 42)	04352241 (1.5 mm) 04355012 (2 mm) 04352258 (5 mm)	—
—	—	—	—	—	—	—	124542 (1 Nm : LD12 and BALD12, except 1202 419300 (1.5 Nm : LD22 & BALD22, except 2203 127407 (3 Nm : LD/BALD32)	—	—	—



Accessory



Common Accessories for Angle Wrenches Only
Accessoires Communs pour Clés d'Angle Uniquement
Zubehör nur für Winkelschrauber
Accesorios Comunes sólo para Llaves Angulares
Accessori Comuni per Chiavi ad Angolo



TRL-415-1
to TRL-415-5
























	Q2 Series	41 Series	5 Series	6 Series	7 Series	8 Series	9 Series
1/4" square drive spindle Broche carrée 1/4" 1/4" Vierkant-Antriebsspindel 1/4" cuadradillo de salida del eje Albero quadro 1/4"	TRL2-A607-S4	48404-1	141A9-A607-1/4 (6.3 Nm max.)	—	141A9-A607-1/4 (6.3 Nm max.)	—	—
3/8" square drive spindle Broche carrée 3/8" 3/8" Vierkant-Antriebsspindel 3/8" cuadradillo de salida del eje Albero quadro 3/8"	TRL2-A607-S6	48405-1	141A12-A607	6L2D-A607	141A12-A607	—	—
1/4" hex bit holder spindle Broche porte lame hexagonale 1/4" 1/4" Skt. Klingenhalter-Spindel 1/4" Hex eje portapuntas Albero porta punta ex. 1/4"	TRL2-A607-Q4	48402-1	5L2C3-B586	—	5L2C3-B586	—	—
1/4" insert bit holder spindle Broche porte embout hexagonal 1/4" 1/4" Skt. Einsteckklingenhalter-Spindel 1/4" Hex eje para puntas cortas Albero porta inserti ex. 1/4"	TRL2-A607-H4	48403-1	5L2C4-B386	—	5L2C4-B386	—	—
100 mm angle head extension assembly Allonge de renvoi d'angle de 100 mm 100 mm Winkelkopf-Verlängerung Conjunto de extensión cabeza angular 100 mm Assieme prolunga testa angolo 100 mm	—	—	—	6WT-A327-4	—	—	—
150 mm angle head extension Allonge de renvoi d'angle de 150 mm 150 mm Winkelkopf-Verlängerung Extensión cabeza angular 150 mm Assieme prolunga testa angolo 150 mm	—	—	—	—	—	8SL-A327-6	8SL-A327-6
3/4" flush head socket * Douille hexagonale femelle 3/4" sur plats * 3/4" Integrierte Sechskant-Steckschlüssel * Bocas hexagonales integradas 3/4" * Bussole integrate da 3/4" *	—	—	—	—	—	—	182A88-807 (83 angle head)
13 mm flush head socket * Douille hexagonale femelle 13 mm sur plats * 13 mm Integrierte Sechskant-Steckschlüssel * Bocas hexagonales integradas 13 mm * Bussole incassate 13 mm *	—	—	—	8SA34-807M (3D6 angle head)	—	—	8SA34-807M (32 angle head) 182A13MF-807 (53 angle head)
15 mm flush head socket * Douille hexagonale femelle 15 mm sur plats * 15 mm Integrierte Sechskant-Steckschlüssel * Bocas hexagonales integradas 15 mm * Bussole incassate 15 mm *	—	—	—	—	—	—	182A15MF-807 (53 angle head)
17 mm flush head socket * Douille hexagonale femelle 17 mm sur plats * 17 mm Integrierte Sechskant-Steckschlüssel * Bocas hexagonales integradas 17 mm * Bussole incassate 17 mm *	—	—	—	—	—	—	8SA56-807M (53 angle head)
19 mm flush head socket * Douille hexagonale femelle 19 mm sur plats * 19 mm Integrierte Sechskant-Steckschlüssel * Bocas hexagonales integradas 19 mm * Bussole incassate 19 mm *	—	—	—	—	—	—	182A88-807 (83 angle head)
On-line pressure regulator (45-90 psi) Régulateur de pression (310-620 kPa) Leitungs-Druckregler (310-620 kPa) Regulador de presión en línea (310-620 kPa) Regolatore di pressione (310-620 kPa)	—	—	—	6PR	—	—	—
Color differentiating components: clutch housing adjustment cover Marquage couleur pour différencier les appareils: bague couvre réglage du limiteur de couple Farbige Komponenten zur Unterscheidung der Werkzeuge: Abdeckung der Kupplungseinstellung Componentes con color diferente: tapa de zona de ajuste del embrague Componenti con colori differenziati: flangia di protezione frizione	TRL-415-1 (gold) TRL-415-2 (red) TRL-415-3 (blue) TRL-415-4 (green) TRL-415-5 (lime green)	<p>* These sockets replace the standard square drive in the angle head. * Ces douilles remplacent le carré entraîneur équipant la machine en std. * Diese Steckschlüssel ersetzen die Standard-Spindel im Winkelkopf * Estas bocas reemplazan al eje estándar dentro la cabeza angular * Queste bussole rimpiazzano l'albero standard delle teste ad angolo.</p>					

Common Accessories for Drills Only
Accessoires Communs pour Perceuses Uniquement
Zubehör nur für Bohrmaschinen
Accesorios Comunes sólo para Taladros
Accessori Comuni per Trapani



	Q2 Series	5 Series	6 Series	7 Series	P33 Series
Chuck guard for straight and pistol models Câche mandrin pour modèles droits et revolver Bohrfutterschutz (für Modelle in gerader Ausführung und mit Pistolengriff) Protector de portabrocas (sólo para modelos rectos y de pistola) Protezione mandrino (solo per modelli dritti e a pistola)	TRD-A961-S (for 6 mm Ø) TRD-A961 (for 10 mm Ø)	5A-309 (for J, K, L ratio)	7AH-K309 (for D, H J, JJ, K, L ratio)	7AH-K309 (for H J, K, L ratio)	128037 (for 8 mm Ø max.)
Square drive adapter - 3/8"-24 thread x 3/8" square Adaptateur carré entraîneur - filetage 3/8"-24 x carré 3/8" Steckschlüssel-Adapter (3/8"-24 Gewinde, 3/8" Vierkant) Adaptador de cuadradillo (rosca 3/8"-24 - 3/8" cuadradillo) Adattatore quadro (filetto 3/8"-24 / quadro 3/8")	R0H-P212-3/8	R0H-P212-3/8	R0H-P212-3/8	R0H-P212-3/8	R0H-P212-3/8
Quick change screwdriver bit adapter - 3/8"-24 thread x 1/4" hex drive Adaptateur pour lame hexagonale 1/4" - filetage 3/8"-24 x mandrin rapide 1/4" Schnellwechsel-Adapter für Drehschrauberklängen (3/8"-24 x 1/4" Skt.-Einsteckende) Adaptador para puntas de cambio rápido (rosca 3/8"-24 - 1/4" hex) Adattatore a cambio rapido per punte cacciavite (filetto 3/8"-24 / ex 1/4")	R0H-A925-4	R0H-A925-4	R0H-A925-4	R0H-A925-4	R0H-A925-4
Keyless chuck - Thread 3/8"-24 female / Industrial grade Mandrin automatique - filetage femelle 3/8"-24 / Gamme industrie Schnellspannfutter (3/8" - 24 Innengewinde) - Industrie-Ausführung Porta brocas sin llave (rosca 3/8"-24 hembra) - Grado industrial Mandrini autoserranti (femmina 3/8"-24) - Grado industriale			CM-116688 (Ø 0-6 mm) 125605 (Ø 0-8 mm) 116689 (Ø 0-10 mm) 123194 (Ø 0-13 mm)		
Keyless chuck - Thread 3/8"-24 female / Standard grade Mandrin automatique - filetage femelle 3/8"-24 / Gamme standard Schnellspannfutter (3/8" - 24 Innengewinde) - Standard-Ausführung Porta brocas sin llave (rosca 3/8"-24 hembra) - Grado estándar Mandrini autoserranti (femmina 3/8"-24) - Grado standard			KC10MM (Ø 0-10 mm) KC13MM (Ø 0-13 mm)		
Collets for 9/32"-40 thread Pincas pour filetages 9/32"-40 (machines dont la référence se termine par A4) Spannzangen für alle Modelle mit der Endung A4 (9/32"-40) Pinzas para todos los modelos que terminan en A4 (rosca 9/32"-40) Pinze per tutti i modelli con finale A4 (filetto 9/32"-40)	5L1A4-700-G2.4 (Ø 2.4 mm) 5L1A4-700-G3.2 (Ø 3.2 mm) 5L1A4-700-G4.0 (Ø 4.0 mm) 5L1A4-700-G4.8 (Ø 4.8 mm)		—	—	—
Self-locking lever (for straight models only) Lever de commande avec gâchette de sécurité (pour modèles droits uniquement) Sicherheitsventilhebel (für gerade Ausführung) Palanca auto-blocante (sólo para modelos rectos) Leva autoserrante (solo per modelli dritti)	—	—	—	—	131655

Drill chucks and keys (for replacement, supplied as standard with the drills)
Pour perceuses uniquement (pour remplacement, fournis en standard avec les machines)
Bohrfutter und Bohrfutterschlüssel (im Lieferumfang enthalten)
Portabrocas y llaves (suministrados de serie)
Mandrini e chiavette (forniti come standard)

	Gear Ratio	Ø mm			Ref. No.		Ref. No.
Q2 Series	—	0 - 6	3/8" - 24		R0H-99		R1H-J253
	—	0 - 10	3/8" - 24		6A-99		R0J-J253
5 Series	J, K, K2, L, L2	0 - 6	3/8" - 24		R0H-99		R1H-J253
	N, N2	0 - 10	3/8" - 24		R1M-99		R1M-J253
	5RA (L ratio)	0 - 10	3/8" - 24		R1M-99		R1M-J253
	5RA (N ratio)	2 - 13	3/8" - 24		R0K-99		R1T-J253
6 Series	D, H, JJ, J, K, K2, L	0 - 6	3/8" - 24		R00A-99		R00A-J253
	M, L2	0 - 10	3/8" - 24		6A-99		R0J-J253
	R, S, P3	0 - 10	3/8" - 24		R1M-99		R1M-J253
	R3	2 - 13	3/8" - 24		R0K-99		R1T-J253
7 Series	H, J	0 - 6	3/8" - 24		R00A-99		R00A-J253
	K	0 - 10	3/8" - 24		6A-99		R0J-J253
	L, M, M3	0 - 10	3/8" - 24		R1M-99		R1M-J253
	N, N3, Q	2 - 13	3/8" - 24		R0K-99		R1T-J253
P33 Series	—	0 - 6	3/8" - 24		117269		117271
	—	0 - 8	3/8" - 24		CM115-313		117271
	—	0 - 10	3/8" - 24		117311		117312